

Reference: CEY-001

Name: TURBO LABORATORY MIXER FOR PVC DRY BLEND

Year: 2011

Brand: PLASMEC

Width: .

Description: TURBO MIXER Type TRR / 5 / FV

- ? Total capacity: 5 Liters
- ? Effective capacity: 4 Liters
- ? Weight of each load: 2 kg (at density 0.5 kg./dm³)
- ? 2 kW alternating current motor with frequency inverter
- ? 3-stage stainless steel mixing head with mirror finishing for easy cleaning.
- ? 5 liter mixing hopper made of stainless steel
- ? Table stand for positioning during loading
- ? Bearing operated overturning system

ELECTRICAL OPERATION EQUIPMENT

- ? Controlled by frequency inverter
- ? Power contactors and thermal relays for the drive and protection of the motors of the mixing plant.
- ? Auxiliary relays for control of duty cycle
- ? Timer to set the duty cycle
- ? Control panel which includes the following functions:
 - ? Selectors, pushbuttons
 - ? Potentiometer to regulate engine speed.

MIXING SOCKETS

REPLACEMENT FOR TRR / 5 / FV ".

- ? Total capacity: 5 Liters
- ? Useful capacity: max. 80%, min. 50%
- ? Mirror Finished surface

OPERATING VOLTAGE: .V. 400/50 HZ + T (3 PHASES)

NEVER USED



